



Water Storage Solutions

bushmantanks.com.au

Your Local Bushmans Distributor:



Bushmans Tanks

Bushmans has been manufacturing tanks since 1989 and when it comes to water storage, we deliver in the toughest conditions. You can rely on Bushmans to save Australia's water. Bushmans original range of tanks provides you access to the most cost-efficient water storage products. Made in one piece from UV stabilised polyethylene, Bushmans tanks give you reliable long-term performance.

For residential applications

Even when connected to a water supply everyone wants to do their bit to save water – and nobody saves it like Bushmans. Our domestic water tanks are available in sizes from 720 litres to 46,400 litres and are easily installed on residential properties. Not only will these tanks give you rainwater on tap they will save you money on your water bills, and complement the appearance and add value to your home.

For rural applications

When you rely on water for your business, indeed for survival, you have to have it when you need it. You can choose a Bushmans tank up to 46,400 litres to provide water storage solutions for all your needs. We can't make it rain but we can store it when it does and nothing saves water like a Bushmans tank.

TANK SPECIFICATIONS (AS4766 COMPLIANT)

SLIMLINE TANKS

These tanks are perfect for suburban homes that have limited and very limited space. The short length of these tanks is ideal to fit between windows. One or two of these tanks can provide enough water for the garden and/or to wash the car.

Stated Capacity*	Product Code	Height	Width	Length	QLD	NSW	VIC	SA	Price
720l (210gal)	TSL160 Slim	0.92m (3'0")	0.71m (2'4")	1.42m (4'7")	•	•			
1000l (220gal)	TSL220 Slim	1.86m (6'1")	0.60m (2'0")	1.25m (4'1")				•	
1150l (250gal)	TSL230 Slim	1.62m (5'4")	0.62m (2'0")	1.48m (4'10")	•	•	•	•	
2000l (440gal)	TSL440 Slim	2.15m (7'1")	0.70m (2'4")	2.21m (7'3")	•	•	•	•	
3000l (660gal)	TSL660 Slim	2.15m (7'1")	0.81m (2'8")	2.48m (8'2")	•	•	•	•	

MODULAR SLIMLINE TANKS

Stated Capacity*	Product Code	Height	Width	Length	QLD	NSW	VIC	SA	Price
1000l (210gal)	TT210 Tall	2.07m (6'10")	0.81m (2'8")	0.81m (2'8")			•	•	
PUMP COVERS	Product Code	Height	Width	Length	QLD	NSW	VIC	SA	Price
PUMP COVERS	Product Code PCS	Height 0.55m (1'10")	Width 0.40m (1'4")	Length 0.70m (2'4")	QLD	NSW		SA •	Price

Included: Leaf strainer, overflow brass outlet and ball valve. Also available: pumps, water diverters and leaf strainer covers. *Capacities and measurements are tested in accordance with AS4766, but may vary up or down due to the roto-moulding process. Users of tanks should take care to ensure the capacity of the tank is sufficient for its specific use. Dimensions in metres are rounded to the nearest centimetre. Dimensions in imperial are rounded to the nearest inch. Subtract 100mm from pump cover dimensions when estimating internal measurements. When estimating space requirements for siting your tank, Bushmans recommends a minimum clearance of 100mm at top and sides. Prices subject to change without notice.



TANK SPECIFICATIONS (AS4766 COMPLIANT)

ROUND, TALL & SQUAT TANKS

The tall round tank is suited for small spaces around suburban homes. These tanks provide good storage capacity, with minimum diameter space requirements. Ranging from 1,200l to 10,000l capacities these tanks are typically found on large town blocks. The squat tank is suited for sites that require a low water inlet height. These tanks provide excellent storage capacity, are priced reasonably, and are well suited to rural properties or large town blocks where you require plenty of water storage.

Stated Capacity*	Product Code	Inlet Height	Diameter	Total (H)	QLD	NSW	VIC	SA	Price
1200l (260gal)	TT260 Round	1.51m (5'0")	1.05m (3'5")	1.51m (5'0")	•				
1500l (330gal)	T350 Round	1.62m (5'4")	1.17m (3'10")	1.62m (5'4")	•	•	•	•	
2450l (540gal)	TS540 Squat	1.05m (3'5")	1.77m (5'9")	1.22m (4'0")	•	•			
2550l (560gal)	TT560 Tall	1.51m (5'0")	1.57m (5'2")	1.68m (5'6")	•	•	•	•	
3250l (715gal)	TT650 Tall	1.79m (5'10")	1.57m (5'2")	2.00m (6'7")	•	•			
4200l (920gal)	TS910 Squat	1.28m (4'2")	2.15m (7'1")	1.37m (4'6")	•		•	•	
4200l (920gal)	TXD910 Squat	1.21m (3'11")	2.15m (7'1")	1.45m (4'9")		•			
5000l (1100gal)	TT1100 Tall	2.05m (6'8")	1.85m (6'1")	2.25m (7'5")	•	•	•	•	
5000l (1100gal)	TXD1200 Squat	1.78m (5'10")	2.06m (6'10")	1.86m (6'1")	•	•			
9500l (2090gal)	TXD2200 Squat	1.52m (4'11")	3.05m (10'0")	1.73m (5'8")	•				
10000l (2200gal)	TS2200 Squat	1.48m (4'10")	3.05m (10'0")	1.70m (5'7")		•	•	•	
10000l (2200gal)	TT2300 Tall	2.16m (7'1")	2.59m (8'6")	2.31m (7'7")	•	•	•	•	
15000l (3300gal)	T3300 Round	2.20m (7'3")	3.05m (10'0")	2.44m (8'0")	•	•	•	•	
22500l (5000gal)	TS5000 Squat	2.12m (7'0")	3.73m (12'3")	2.44m (8'0")	•	•	•	•	
24000l (5300gal)	TT5300 Tall	2.57m (8'5")	3.53m (11'6")	2.72m (8'10")	•				
25000l (5500gal)	TS5500 Squat	2.40m (7'10")	3.73m (12'3")	2.55m (8'4")	•	•	•		
30000l (6600gal)	T6500 Round	2.68m (8'9")	3.92m (12'10")	2.87m (9'5")	•	•	•	•	
38000l (8400gal)	T8400 Round	2.71m (8'9")	4.37m (14'4")	2.82m (9'3")	•	•		•	
46400l (10200gal)	T10500 Round	2.95m (9'8")	4.60m (15'1")	3.16m (10'4")	•	•	•	•	

More than just water tanks

Bushmans manufacture Fertiliser and Molasses storage tanks for agricultural applications up to 38,000 litres capacity. We also custom-make Chemical and Industrial storage tanks, up to 46,400 litres capacity, with fittings which will align with specific customer requirements.

The polyethylene that we use in our tanks is Sunsmart[®] technology and is an advanced generation linear material that has been tried and tested in the Australian market. Bushmans only uses the best material for the whole of the tank - providing highest strength and superior chemical resistance.

Our chemical and industrial tanks are suitable for a wide range of chemicals, such as Sodium Hypochlorite, Hydrochloric Acid, Sulphuric Acid, and many more.

We also have a full range of fittings and attachments that can be plastic welded onto the tank to suit your specific needs. Bushmans have a proven record with problem solving. We may just have the answer you are looking for.

The Sunsmart[®] advanced raw material combined with Bushmans proven one piece tank design results in:

- better UV protection best impact resistance
- best chemical resistance
 best tank life

Protect Your Pump

Extend the life of your pump by keeping it protected from the elements and off the ground with Bushmans new two piece pump cover.

Features

h

- \cdot ventilation holes for air circulation
- · easy-to-follow cutter paths for pipework entry slots
- grab handles for easy removal
- · drainage holes in base to allow water to escape, aesthetic design
- and they're available in sizes to suit most pumps.



technology



- Bushmans Sunsmart[®] technology is an improved raw material which provides longer tank life in Australia's hot and sunny conditions.
- Bushmans factories are accredited to manufacture to the AS/NZS4766 tank standard, manufacturing processes ensure your tank is made to our design standard.
- Bushmans tanks have stood the test of time with tanks in the field for over 25 years.
- Bushmans tanks are one piece so there is no weakening due to cutting and screwing.
- Bushmans distribution centres provide a personalised local service.

(Sunsmart® raw material is available in Bushmans 10 core colours only)

ntanks.com

Your Local Bushmans Distributor:

m

٦ ٦

Bushman water tanks backed by



Bushman tanks are Australian made and have over 25 years experience in designing and manuf<u>acturing tanks.</u>

To ensure you receive a quality product and peace of mind, Bushmans uses the latest in manufacturing technology and processes.

Bushman's *Standard COLOUR RANGE

	SMOOTH CREAM
	MERINO
	BEIGE
	WHEAT
	WHEAT
	RIVERGUM
•	
	STORMEDGE BLUE
	HERITAGE RED

HERITAGE GREEN

SLATE GREY

BLACK

u

а

*Sunsmart[®] Technology is only available in Bushmans standard colours. Colour shown is a guide only, for true colour representation, contact your Bushmans representative. 03/14

